


| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|----|--------|------|------|----|----|----|----|----|----|----|----|--------|-----|------|----|----|----|------|----|-----|-------|-----|-----|--------|------|------|-----|----|------|
| R | | 21 | 20 | | 10 | 29 | | 31 | 34 | 39 | 46 | 38 | 47 | 50 | | | | 58 | | | | | 6 | R | | | | | | |
| | | 18 | 9 | | 12 | | | 16 | 17 | 19 | 22 | 30 | 47 | | | | | | 45 | | | | | | | | | | | |
| C | 13 | 14 | 17 | 16 | 22 | 5 | 11 | 24 | 23 | 25 | 28 | 26 | 32 | 33 | 35 | 36 | 37 | 38 | 40 | 42 | 43 | 44 | 45 | 46 | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MISC | L2 | V1 | RLHI | | | | | L3 | V3 | | | L4 | V4 | V5 | RV48 | V8 | V2 | | SW5 | L6 | L5 | SWR | LI | MRI | MR2 | PLL | | | | |
| | | SWP ba | V6 | RVII | | | V7 | | | | | V9 | SWP bb | TRI | | | | | SWNa | M3 | RLJ | SWN b | RLH | LPI | SWP bc | RLJ1 | RLJ2 | PLK | M4 | MISC |



1. ALL SWITCHES DRAWN WITH CONTROLS FULLY ANTI-CLOCKWISE.
2. WAFER SWITCH CONTACTS ARE NUMBERED CLOCKWISE FROM UPPER SUPPORTING ROD IF NO UPPER THEN FROM RIGHT HAND ROD. ALL AS SEEN FROM FRONT.
3. ALL CAPACITOR VALUES IN μF UNLESS OTHERWISE SHOWN.

MF TRANSMITTER CIRCUIT DIAGRAM
AP100338