

**RECEPTION SET, R 209
DATA SUMMARY**

PURPOSE

Replaces reception sets R107 and R109 Will also replace R106 and R206 in cases where weight is of paramount importance.

DESCRIPTION

Hermetically sealed miniature 10-valve superhet receiver for reception of R T (A.M. and F.M.) or C.W. signals.

PHYSICAL DATA

Weight : 22lb.
Height : 8½ in.
Length : 12¼ in.
Width : 9¼ in.

REMARKS

The receiver with vibrator power unit, built-in loudspeaker and desiccator is housed in a hermetically sealed and watertight case.

FREQUENCY

Coverage : 1—20 Mc s in four bands.
Internal : 460 kc s.




Fig. 1 Front view of equipment

INITIALS	DATE OF REVISION	AUTHORITY (AG NO ETC)	AMENDMENT NO
<p>B. R. 1464</p> <p>HANDBOOK FOR</p> <p>RECEIVER OUTFIT CAU</p> <p>(ARMY RECEIVER R209)</p>			

HANDBOOK FOR

RECEIVER OUTFIT CAU

(ARMY RECEIVER R209)

ANY SUGGESTIONS FOR AMENDMENTS OR ADDITIONS TO THE BOOK SHOULD BE SUBMITTED THROUGH THE USUAL CHANNELS.

